

精密用トーションスプリング・TR135タイプ

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR135-1	0.20	1.5	2	10	20	1200
TR135-2	0.20	1.5	3	10	20	1200
TR135-3	0.20	1.5	4	15	20	1200
TR135-4	0.20	1.5	5	15	20	1200
TR135-5	0.20	1.8	2	10	20	1200
TR135-6	0.20	1.8	3	10	20	1200
TR135-7	0.20	1.8	4	15	20	1200
TR135-8	0.20	1.8	5	15	20	1200
TR135-9	0.20	2.0	2	15	20	1200
TR135-10	0.20	2.0	4	15	20	1200
TR135-11	0.20	2.0	6	15	20	1200
TR135-12	0.20	2.5	2	15	20	1200
TR135-13	0.20	2.5	4	15	20	1200
TR135-14	0.20	2.5	5	15	20	1200
TR135-15	0.20	2.5	8	15	20	1200
TR135-16	0.23	1.5	2	15	20	1200
TR135-17	0.23	1.5	3	15	20	1200
TR135-18	0.23	1.5	4	15	20	1200
TR135-19	0.23	1.5	5	15	20	1200
TR135-20	0.23	1.8	2	15	20	1200
TR135-21	0.23	1.8	4	15	20	1200
TR135-22	0.23	2.0	2	10	20	1200
TR135-23	0.23	2.0	3	10	20	1200
TR135-24	0.23	2.0	4	15	20	1200
TR135-25	0.23	2.0	6	15	20	1200
TR135-26	0.25	2.0	2	15	20	1200
TR135-27	0.25	2.0	3	15	20	1200
TR135-28	0.25	2.0	4	15	20	1200
TR135-29	0.25	2.0	5	15	20	1200
TR135-30	0.25	2.5	2	15	20	1200
TR135-31	0.25	2.5	3	15	20	1200
TR135-32	0.25	2.5	4	15	20	1200
TR135-33	0.25	2.5	5	15	20	1200
TR135-34	0.25	3.0	2	15	20	1200
TR135-35	0.25	3.0	3	15	20	1200
TR135-36	0.25	3.0	4	15	20	1200

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR135-37	0.25	3.0	6	15	20	1200
TR135-38	0.30	3.5	2	15	20	1200
TR135-39	0.30	3.5	4	15	20	1200
TR135-40	0.30	3.5	6	15	20	1200
TR135-41	0.30	2.0	2	15	20	1200
TR135-42	0.30	2.0	3	15	20	1200
TR135-43	0.30	2.0	4	15	20	1200
TR135-44	0.30	2.0	6	15	20	1200
TR135-45	0.30	2.3	8	15	20	1200
TR135-46	0.30	2.3	10	15	20	1200
TR135-47	0.30	2.3	2	15	20	1200
TR135-48	0.30	2.3	4	15	20	1200
TR135-49	0.30	2.5	6	15	20	1200
TR135-50	0.30	2.5	8	15	20	1200
TR135-51	0.30	3.0	2	20	20	1200
TR135-52	0.30	3.0	4	20	20	1200
TR135-53	0.30	3.0	6	20	20	1200
TR135-54	0.30	3.0	8	20	20	1200
TR135-55	0.30	3.0	10	20	20	1200
TR135-56	0.30	3.5	2	20	20	1200
TR135-57	0.30	3.5	4	20	20	1200
TR135-58	0.30	3.5	6	20	20	1200
TR135-59	0.30	3.5	8	20	20	1200
TR135-60	0.30	3.5	10	20	20	1200
TR135-61	0.30	4.0	2	20	20	1200
TR135-62	0.30	4.0	4	20	20	1200
TR135-63	0.30	4.0	6	20	20	1200
TR135-64	0.30	4.0	8	20	20	1200
TR135-65	0.30	4.0	10	20	20	1200
TR135-66	0.30	4.5	2	20	20	1200
TR135-67	0.30	4.5	4	20	20	1200
TR135-68	0.30	4.5	6	20	20	1200
TR135-69	0.30	4.5	8	20	20	1200
TR135-70	0.30	4.5	10	20	20	1200
TR135-71	0.30	5.0	2	20	20	1200
TR135-72	0.30	5.0	4	20	20	1200

精密用トーションスプリング・TR135タイプ

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR135-73	0.30	5.0	6	20	20	1200
TR135-74	0.30	5.0	8	20	20	1200
TR135-75	0.30	5.0	10	20	20	1200
TR135-76	0.40	2.0	2	20	20	1200
TR135-77	0.40	2.0	4	20	20	1200
TR135-78	0.40	2.0	6	20	20	1200
TR135-79	0.40	2.0	8	20	20	1200
TR135-80	0.40	2.0	10	20	20	1200
TR135-81	0.40	2.5	2	20	20	1200
TR135-82	0.40	2.5	4	20	20	1200
TR135-83	0.40	2.5	6	20	20	1200
TR135-84	0.40	2.5	8	20	20	1200
TR135-85	0.40	2.5	10	20	20	1200
TR135-86	0.40	3.0	2	20	20	1200
TR135-87	0.40	3.0	4	20	20	1200
TR135-88	0.40	3.0	6	20	20	1200
TR135-89	0.40	3.0	8	20	20	1200
TR135-90	0.40	3.0	10	20	20	1200
TR135-91	0.40	3.5	2	20	20	1200
TR135-92	0.40	3.5	4	20	20	1200
TR135-93	0.40	3.5	6	20	20	1200
TR135-94	0.40	3.5	8	20	20	1200
TR135-95	0.40	3.5	10	20	20	1200
TR135-96	0.40	4.0	2	20	20	1200
TR135-97	0.40	4.0	4	20	20	1200
TR135-98	0.40	4.0	6	20	20	1200
TR135-99	0.40	4.0	8	20	20	1200
TR135-100	0.40	4.0	10	20	20	1200
TR135-101	0.40	4.5	2	20	20	1200
TR135-102	0.40	4.5	4	20	20	1200
TR135-103	0.40	4.5	6	20	20	1200
TR135-104	0.40	4.5	8	20	20	1200
TR135-105	0.40	4.5	10	20	20	1200
TR135-106	0.40	5.0	2	20	20	1200
TR135-107	0.40	5.0	4	20	20	1200
TR135-108	0.40	5.0	6	20	20	1200

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR135-109	0.40	5.0	8	20	20	1200
TR135-110	0.40	5.0	10	20	20	1200
TR135-111	0.40	5.5	2	20	20	1200
TR135-112	0.40	5.5	4	20	20	1200
TR135-113	0.40	5.5	6	20	20	1200
TR135-114	0.40	5.5	8	20	20	1200
TR135-115	0.40	5.5	10	20	20	1200
TR135-116	0.40	6.0	4	20	20	1200
TR135-117	0.40	6.0	8	20	20	1200
TR135-118	0.40	6.0	12	20	20	1200
TR135-119	0.50	2.5	3	20	20	1200
TR135-120	0.50	2.5	5	20	20	1200
TR135-121	0.50	2.5	8	20	20	1200
TR135-122	0.50	3.0	3	20	20	1200
TR135-123	0.50	3.0	5	20	20	1200
TR135-124	0.50	3.0	8	20	20	1200
TR135-125	0.50	3.0	12	20	20	1200
TR135-126	0.50	3.5	3	20	20	1200
TR135-127	0.50	3.5	6	20	20	1200
TR135-128	0.50	3.5	10	20	20	1200
TR135-129	0.50	3.5	15	20	20	1200
TR135-130	0.50	4.0	3	20	20	1200
TR135-131	0.50	4.0	6	20	20	1200
TR135-132	0.50	4.0	10	20	20	1200
TR135-133	0.50	4.0	15	20	20	1200
TR135-134	0.50	4.5	3	20	20	1200
TR135-135	0.50	4.5	6	20	20	1200
TR135-136	0.50	4.5	10	20	20	1200
TR135-137	0.50	4.5	15	20	20	1200
TR135-138	0.50	5.0	3	20	20	1200
TR135-139	0.50	5.0	6	20	20	1200
TR135-140	0.50	5.0	10	20	20	1200
TR135-141	0.50	5.0	12	20	20	1200
TR135-142	0.50	5.0	20	20	20	1200
TR135-143	0.50	5.5	4	20	20	1200
TR135-144	0.50	5.5	8	20	20	1200

精密用トーションスプリング・TR135タイプ

注番	線径	内径	巻数	アーム長さ	1パック	価格	注番	線径	内径	巻数	アーム長さ	1パック	価格
TR135-145	0.50	5.5	12	20	20	1200	TR135-181	0.60	6.0	10	25	20	1200
TR135-146	0.50	6.0	4	20	20	1200	TR135-182	0.60	6.0	15	25	20	1200
TR135-147	0.50	6.0	8	20	20	1200	TR135-183	0.60	6.5	3	25	20	1200
TR135-148	0.50	6.0	12	20	20	1200	TR135-184	0.60	6.5	8	25	20	1200
TR135-149	0.50	6.5	4	20	20	1200	TR135-185	0.60	6.5	12	25	20	1200
TR135-150	0.50	6.5	8	20	20	1200	TR135-186	0.60	7.0	5	25	20	1200
TR135-151	0.50	7.0	5	25	20	1200	TR135-187	0.60	7.0	10	25	20	1200
TR135-152	0.50	7.0	10	25	20	1200	TR135-188	0.60	7.0	15	25	20	1200
TR135-153	0.50	8.0	5	25	20	1200	TR135-189	0.60	7.5	5	25	20	1200
TR135-154	0.50	8.0	10	25	20	1200	TR135-190	0.60	7.5	10	25	20	1200
TR135-155	0.60	3.0	4	25	20	1200	TR135-191	0.60	7.5	15	25	20	1200
TR135-156	0.60	3.0	6	25	20	1200	TR135-192	0.60	8.0	5	25	20	1200
TR135-157	0.60	3.0	8	25	20	1200	TR135-193	0.60	8.0	10	25	20	1200
TR135-158	0.60	3.0	12	25	20	1200	TR135-194	0.60	8.0	15	25	20	1200
TR135-159	0.60	3.5	3	25	20	1200	TR135-195	0.70	5.0	4	25	20	1200
TR135-160	0.60	3.5	6	25	20	1200	TR135-196	0.70	5.0	7	25	20	1200
TR135-161	0.60	3.5	10	25	20	1200	TR135-197	0.70	5.0	10	25	20	1200
TR135-162	0.60	3.5	15	25	20	1200	TR135-198	0.70	5.5	4	25	20	1200
TR135-163	0.60	4.0	4	25	20	1200	TR135-199	0.70	5.5	7	25	20	1200
TR135-164	0.60	4.0	6	25	20	1200	TR135-200	0.70	5.5	10	25	20	1200
TR135-165	0.60	4.0	8	25	20	1200	TR135-201	0.70	6.0	4	20	20	1200
TR135-166	0.60	4.0	10	25	20	1200	TR135-202	0.70	6.0	7	20	20	1200
TR135-167	0.60	4.0	15	25	20	1200	TR135-203	0.70	6.0	10	20	20	1200
TR135-168	0.60	4.5	4	25	20	1200	TR135-204	0.70	6.5	4	20	20	1200
TR135-169	0.60	4.5	6	25	20	1200	TR135-205	0.70	6.5	7	20	20	1200
TR135-170	0.60	4.5	8	25	20	1200	TR135-206	0.70	6.5	10	20	20	1200
TR135-171	0.60	4.5	10	25	20	1200	TR135-207	0.70	7.0	4	20	20	1200
TR135-172	0.60	4.5	15	25	20	1200	TR135-208	0.70	7.0	7	20	20	1200
TR135-173	0.60	5.0	4	25	20	1200	TR135-209	0.70	7.0	10	23	20	1200
TR135-174	0.60	5.0	6	25	20	1200	TR135-210	0.70	8.0	4	23	20	1200
TR135-175	0.60	5.0	8	25	20	1200	TR135-211	0.70	8.0	7	23	20	1200
TR135-176	0.60	5.0	10	25	20	1200	TR135-212	0.70	8.0	10	25	20	1200
TR135-177	0.60	5.0	15	25	20	1200	TR135-213	0.70	8.5	4	25	20	1200
TR135-178	0.60	5.5	4	25	20	1200	TR135-214	0.70	8.5	7	23	20	1200
TR135-179	0.60	5.5	8	25	20	1200	TR135-215	0.70	8.5	10	23	20	1200
TR135-180	0.60	6.0	5	25	20	1200	TR135-216	0.70	9.0	4	25	20	1200

精密用トーションスプリング・TR135タイプ

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR135-217	0.70	9.0	7	25	20	1200
TR135-218	0.70	9.0	10	25	20	1200
TR135-219	0.70	9.5	4	25	20	1200
TR135-220	0.70	9.5	7	25	20	1200
TR135-221	0.70	9.5	10	25	20	1200
TR135-222	0.70	10.0	4	25	20	1200
TR135-223	0.70	10.0	7	25	20	1200
TR135-224	0.70	10.0	10	25	20	1200
TR135-225	0.80	5.0	2	25	20	1200
TR135-226	0.80	5.0	5	25	20	1200
TR135-227	0.80	5.0	8	25	20	1200
TR135-228	0.80	5.5	2	25	20	1200
TR135-229	0.80	5.5	6	25	20	1200
TR135-230	0.80	5.5	10	25	20	1200
TR135-231	0.80	5.5	15	25	20	1200
TR135-232	0.80	6.0	2	25	20	1200
TR135-233	0.80	6.0	4	25	20	1200
TR135-234	0.80	6.0	6	25	20	1200
TR135-235	0.80	6.0	8	25	20	1200
TR135-236	0.80	6.0	10	25	20	1200
TR135-237	0.80	6.5	2	25	20	1200
TR135-238	0.80	6.5	4	25	20	1200
TR135-239	0.80	6.5	6	25	20	1200
TR135-240	0.80	6.5	8	25	20	1200
TR135-241	0.80	6.5	10	25	20	1200
TR135-242	0.80	7.0	2	25	20	1200
TR135-243	0.80	7.0	4	25	20	1200
TR135-244	0.80	7.0	8	25	20	1200
TR135-245	0.80	7.5	2	25	20	1200
TR135-246	0.80	7.5	6	25	20	1200
TR135-247	0.80	7.5	10	25	20	1200
TR135-248	0.80	8.0	2	25	20	1200
TR135-249	0.80	8.0	5	25	20	1200
TR135-250	0.80	8.5	2	25	20	1200
TR135-251	0.80	8.5	5	25	20	1200
TR135-252	0.80	8.5	10	25	20	1200

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR135-253	0.80	9.0	2	25	20	1200
TR135-254	0.80	9.0	5	25	20	1200
TR135-255	0.80	9.0	8	25	20	1200
TR135-256	0.80	9.5	2	25	20	1200
TR135-257	0.80	9.5	5	25	20	1200
TR135-258	0.80	9.5	8	25	20	1200
TR135-259	0.80	10.0	2	25	20	1200
TR135-260	0.80	10.0	4	25	20	1200
TR135-261	0.80	10.0	5	25	20	1200
TR135-262	0.80	10.0	8	25	20	1200
TR135-263	0.90	6.0	2	25	20	1200
TR135-264	0.90	6.0	4	25	20	1200
TR135-265	0.90	6.0	8	25	20	1200
TR135-266	0.90	6.0	10	25	20	1200
TR135-267	0.90	6.5	3	25	20	1200
TR135-268	0.90	6.5	5	25	20	1200
TR135-269	0.90	6.5	15	25	20	1200
TR135-270	0.90	7.0	3	25	20	1200
TR135-271	0.90	7.0	6	25	20	1200
TR135-272	0.90	7.0	10	25	20	1200
TR135-273	0.90	7.5	3	25	20	1200
TR135-274	0.90	7.5	6	25	20	1200
TR135-275	0.90	7.5	10	25	20	1200
TR135-276	0.90	8.0	2	25	20	1200
TR135-277	0.90	8.0	5	25	20	1200
TR135-278	0.90	9.0	2	25	20	1200
TR135-279	0.90	9.0	5	25	20	1200
TR135-280	1.00	5.0	2	25	20	1200
TR135-281	1.00	5.0	4	30	20	1200
TR135-282	1.00	5.0	6	30	20	1200
TR135-283	1.00	5.5	2	30	20	1200
TR135-284	1.00	5.5	4	30	20	1200
TR135-285	1.00	5.5	6	30	20	1200
TR135-286	1.00	6.0	2	30	20	1200
TR135-287	1.00	6.0	4	30	20	1200
TR135-288	1.00	6.0	6	30	20	1200

